









## References

1. Soueid A, Oudit D, Thiagarajah S, Laitung G. The pain of surgery: pain experienced by surgeons while operating. *Int J Surg Lond Engl*. 2010;8(2):118-120. doi:10.1016/j.ijssu.2009.11.008
2. Auerbach JD, Weidner ZD, Milby AH, Diab M, Lonner BS. Musculoskeletal disorders among spine surgeons: results of a survey of the Scoliosis Research Society membership. *Spine*. 2011;36(26):E1715-1721. doi:10.1097/BRS.0b013e31821cd140
3. Kose KC, Bozduman O, Yenigul AE, Iğrek S. Spinal osteotomies: indications, limits and pitfalls. *EFORT Open Rev*. 2017;2(3):73-82. doi:10.1302/2058-5241.2.160069
4. Forst L, Friedman L, Shapiro D. Carpal tunnel syndrome in spine surgeons: a pilot study. *Arch Environ Occup Health*. 2006;61(6):259-262. doi:10.3200/AEOH.61.6.259-262
5. Elliott D. The use of power tools in the insertion of cortical bone screws. *Injury*. 1992;23(7):451-452. doi:10.1016/0020-1383(92)90061-v
6. Seehausen DA, Skaggs DL, Andras LM, Javidan Y. Safety and Efficacy of Power-Assisted Pedicle Tract Preparation and Screw Placement. *Spine Deform*. 2015;3(2):159-165. doi:10.1016/j.jspd.2014.07.001
7. Maroon JC, El-Kadi M, Bost J. Pneumatic Kerrison rongeur: technical note. *Surg Neurol*. 2009;71(4):466-468. doi:10.1016/j.surneu.2008.10.008
8. Klein GR, Ludwig SC, Vaccaro AR, Rushton SA, Lazar RD, Albert TJ. The efficacy of using an image-guided Kerrison punch in performing an anterior cervical foraminotomy. An anatomic analysis. *Spine*. 1999;24(13):1358-1362. doi:10.1097/00007632-199907010-00014