

























6. Samdani AF, Belin EJ, Bennett JT, Pahys JM, Marks MC, Miyajima F, et al. Unplanned return to the operating room in patients with adolescent idiopathic scoliosis: are we doing better with pedicle screws? *Spine (Phila Pa 1976)*. 2013;38(21):1842-7.
7. Newton PO, Farnsworth CL, Faro FD, Mahar AT, Odell TR, Mohamad F, et al. Spinal growth modulation with an anterolateral flexible tether in an immature bovine model: disc health and motion preservation. *Spine (Phila Pa 1976)*. 2008;33(7):724-33.
8. Newton PO, Glaser DA, Doan JD, Farnsworth CL. 3D Visualization of Vertebral Growth Plates and Disc: The Effects of Growth Modulation. *Spine Deform*. 2013;1(5):313-20.
9. Crawford CH, 3rd, Lenke LG. Growth modulation by means of anterior tethering resulting in progressive correction of juvenile idiopathic scoliosis: a case report. *J Bone Joint Surg Am*. 2010;92(1):202-9.
10. Newton PO, Kluck DG, Saito W, Yaszay B, Bartley CE, Bastrom TP. Anterior Spinal Growth Tethering for Skeletally Immature Patients with Scoliosis: A Retrospective Look Two to Four Years Postoperatively. *J Bone Joint Surg Am*. 2018;100(19):1691-7.
11. Samdani AF, Ames RJ, Kimball JS, Pahys JM, Grewal H, Pelletier GJ, et al. Anterior vertebral body tethering for idiopathic scoliosis: two-year results. *Spine (Phila Pa 1976)*. 2014;39(20):1688-93.
12. Suh SW, Modi HN, Yang JH, Hong JY. Idiopathic scoliosis in Korean schoolchildren: a prospective screening study of over 1 million children. *Eur Spine J*. 2011;20(7):1087-94.
13. Busscher I, van Dieen JH, Kingma I, van der Veen AJ, Verkerke GJ, Veldhuizen AG. Biomechanical characteristics of different regions of the human spine: an in vitro study on multilevel spinal segments. *Spine (Phila Pa 1976)*. 2009;34(26):2858-64.
14. Pearcy M, Portek I, Shepherd J. Three-dimensional x-ray analysis of normal movement in the lumbar spine. *Spine (Phila Pa 1976)*. 1984;9(3):294-7.
15. Wilke HJ, Herkommer A, Werner K, Liebsch C. In vitro analysis of the segmental flexibility of the thoracic spine. *PLoS One*. 2017;12(5):e0177823.
16. Rathbun JR, Hoernschemeyer DS, Wakefield MR, Malm-Buatsi EA, Murray KS, Ramachandran V. Ureteral injury following vertebral body tethering for adolescent idiopathic scoliosis. *J Pediatr Surg Case R*. 2019;46.
17. Uribe JS, Arredondo N, Dakwar E, Vale FL. Defining the safe working zones using the minimally invasive lateral retroperitoneal transpsoas approach: an anatomical study. *J Neurosurg Spine*. 2010;13(2):260-6.
18. Su AW, Luo TD, McIntosh AL, Schueler BA, Winkler JA, Stans AA, et al. Switching to a Pediatric Dose O-Arm Protocol in Spine Surgery Significantly Reduced Patient Radiation Exposure. *J Pediatr Orthop*. 2016;36(6):621-6.
19. Newton PO, Bartley CE, Bastrom TP, Kluck DG, Saito W, Yaszay B. Anterior Spinal Growth Modulation in Skeletally Immature Patients with Idiopathic Scoliosis: A Comparison with Posterior Spinal Fusion at 2 to 5 Years Postoperatively. *J Bone Joint Surg Am*. 2020;102(9):769-77.
20. Larson AN, Baky F, Ashraf A, Baghdadi YM, Treder V, Polly DW, Jr., et al. Minimum 20-Year Health-Related Quality of Life and Surgical Rates After the Treatment of Adolescent Idiopathic Scoliosis. *Spine Deform*. 2019;7(3):417-27.
21. Newton PO, Marks MC, Bastrom TP, Betz R, Clements D, Lonner B, et al. Surgical treatment of Lenke 1 main thoracic idiopathic scoliosis: results of a prospective, multicenter study. *Spine (Phila Pa 1976)*. 2013;38(4):328-38.
22. Campos M, Dolan L, Weinstein S. Unanticipated revision surgery in adolescent idiopathic scoliosis. *Spine (Phila Pa 1976)*. 2012;37(12):1048-53.